



TOYOTA







LEAD THE WAY



COROLLA
HATCH

COROLLA HATCH SPECIFICATIONS

	1.2T Xs	1.2T Xs CVT	1.2T Xr CVT
Engine and Drivetrain			
Maximum power (kW @ r/min)	85 @ 5200-5600	85 @ 5200-5600	85 @ 5200-5600
Maximum torque (Nm @ r/min)	185 @ 1500-4000	185 @ 1500-4000	185 @ 1500-4000
Valve mechanism	16, DOHC, VVT-iW (Int), VVT-i (Exh)	16, DOHC, VVT-iW (Int), VVT-i (Exh)	16, DOHC, VVT-iW (Int), VVT-i (Exh)
Displacement (cm³)	1197	1197	1197
Compression ratio	10.0 : 1	10.0 : 1	10.0 : 1
Bore X Stroke (mm)	71.5 x 74.5	71.5 x 74.5	71.5 x 74.5
Fuel system	Petrol	Petrol	Petrol
Fuel Consumption (Combined Cycle) (ℓ/100km)	6.1	6.1	6.1
CO ₂ (g/km)	141	140	140
1st Gear Ratio	3.727		
2nd Gear Ratio	2.045		
3rd Gear Ratio	1.310		
4th Gear Ratio	0.971		
5th Gear Ratio	0.764		
6th Gear Ratio	0.619		
Transmission			
Transmission	6-speed MT	CVT	CVT
Differential gear ratio	3.944	5.045	5.045
Starting system	Push start	Push start	Push start
Suspension			
Front	MacPherson	MacPherson	MacPherson
Rear	Double wishbone	Double wishbone	Double wishbone
Wheels and Tyres			
Tyre size	205 / 55R16 Alloy	205 / 55R16 Alloy	205 / 55R16 Alloy
Spare wheel	Full	Full	Full
Body and Styling			
Front bumper	Colour coded	Colour coded	Colour coded
Rear bumper	Colour coded	Colour coded	Colour coded
Body colour	Monotone	Monotone	Monotone
Door outside handles	Colour coded - smart entry	Colour coded - smart entry	Colour coded - smart entry
Headlights	LED	LED	LED
Rear lights	LED	LED	LED
Daytime Running Lights (DRL)	•	•	•
Headlamp levelling	•	•	•
Front fog lamp	•	•	•
Rear fog lamp	•	•	•
Side mirrors	Colour coded, power, heated	Colour coded, power, heated	Colour coded, power, heated, power retractable, BSM
Rear spoiler	•	•	•
Interior, Comfort and Convenience			
Seat trim	Fabric	Fabric	Leather + suede
Rear view mirror	Day and night	Day and night	Day and night
Steering wheel	3 Spoke/Leather	3 Spoke/Leather	3 Spoke/Leather
Shift Lever & Knob	Leather	Leather	Leather
Electric windows	All / all one touch	All / all one touch	All / all one touch
2nd row seats	60:40	60:40	60:40
Cruise control	•	•	•
Airconditioner	Auto - dual zone	Auto - dual zone	Auto - dual zone
Front seat adjustment and reclining	Driver + passenger / manual	Driver + passenger / manual	Driver + passenger / manual
Seat heater	•	•	•
Seat lumbar support	•	•	Driver 2-way / power

	1.2T Xs	1.2T Xs CVT	1.2T Xr CVT
Interior, Comfort and Convenience			
Multi-Information Display (MID)	TFT colour	TFT colour	TFT colour
Steering switches	Audio, telephone, cruise control	Audio, telephone, cruise control	Audio, telephone, cruise control
Steering column adjustments	Manual / tilt, telescopic	Manual / tilt, telescopic	Manual / tilt, telescopic
Audio	Display audio	Display audio	Display audio
Bluetooth / AUX	•	•	•
USB	•	•	•
Speakers	6	6	6
Power Socket	Front - 12V	Front - 12V	Front - 12V
Reverse camera	Display audio	Display audio	Display audio
Safety, Security and Driver Support Systems			
Anti-theft system	Siren + immobiliser	Siren + immobiliser	Siren + immobiliser
Child restraint system (ISOFIX)	2	2	2
Driver, front passenger, side, curtain and driver-knee airbags	•	•	•
Power door lock	•	•	•
Wireless door lock	Smart entry	Smart entry	Smart entry
Anti-lock Braking System (ABS)	•	•	•
Electronic Brake-force Distribution (EBD)	•	•	•
Hill-Assist Control (HAC)	•	•	•
Vehicle-Stability Control (VSC)	•	•	•
Blind Spot Monitor (BSM)	•	•	•
Service and Warranty			
Service plan	6 services / 90 000 km	6 services / 90 000 km	6 services / 90 000 km
Service interval	12 months / 15 000 km	12 months / 15 000 km	12 months / 15 000 km
Warranty	3 years / 100 000 km	3 years / 100 000 km	3 years / 100 000 km
Engine and Capacities			
Height (mm)	1435	1435	1435
Length (mm)	4375	4375	4375
Width (mm)	1790	1790	1790
Wheelbase (mm)	2640	2640	2640
Fuel tank size (ℓ)	50	50	50
Front tread (mm)	1530	1530	1530
Rear tread (mm)	1530	1530	1530
Luggage capacity (ℓ)	503	503	503
Gross Combination Mass (GCM)	3120	3140	3140
Gross Vehicle Mass (GVM)	1820	1840	1840
Turning circle (tyres, m)	5.1	5.1	5.1
Towing Capacity - Unbraked (kg)	450	450	450
Towing Capacity - Braked (kg)	1300	1300	1300
DISCLAIMER:			
The information contained in this brochure is provided as is and without any warranties of any kind, whether expressed or implied, including but not limited to, implied warranties of satisfactory quality, fitness for a particular purpose and/or correctness. The contents of this brochure are for general information purposes only and do not constitute advice. Toyota Motor Corporation of Japan and Toyota South Africa Motors (Pty) Limited does not represent or warrant that the information and/or specifications contained in this brochure are accurate, complete or current and specifically stipulates that certain vehicle details and specifications contained in this brochure may differ in available models. Therefore, neither Toyota Motor Corporation of Japan nor Toyota South Africa Motors (Pty) Limited make any warranties or representations regarding the use of the content, details, specifications, or information contained in this brochure in terms of their correctness, accuracy, adequacy, usefulness, timeliness, reliability or otherwise, in each case to the fullest extent permitted by law. Please note that claiming of input VAT needs to be verified by customers prior to vehicle purchase as these rulings are subject to SARS interpretation. Toyota South Africa Motors' rights remain reserved.			
			
040 Glacier White	070 Pearl White Metallic	1F7 Satin Silver Metallic	
			
8W9 Caribbean Blue	3U4 Scarlet Metallic	6X1 Oxide Bronze	
			Exterior Colours

